



PARMASK MEDICAL
FFP2 NR
EN149:2001+A1:2009

95

10 PIECES

CE 2841

HIGH Quality

MASCHERA PROTETTIVA MELTBLOWN
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

www.parmaskmedical.com

Zarrn einmaltigen Gebrauch / single use only / massima protezione

HALUTTES BEWAHRUNG
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

FLORACIUNE ALI ALI APERTURA
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

PARMASK MEDICAL
FFP2 NR
EN149:2001+A1:2009

95

10 PIECES

CE 2841

HIGH Quality

MASCHERA PROTETTIVA MELTBLOWN
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

www.parmaskmedical.com

Zarrn einmaltigen Gebrauch / single use only / massima protezione

HALUTTES BEWAHRUNG
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

FLORACIUNE ALI ALI APERTURA
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

PARMASK MEDICAL
FFP2 NR
EN149:2001+A1:2009

95

10 PIECES

CE 2841

HIGH Quality

MASCHERA PROTETTIVA MELTBLOWN
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

www.parmaskmedical.com

Zarrn einmaltigen Gebrauch / single use only / massima protezione

HALUTTES BEWAHRUNG
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

FLORACIUNE ALI ALI APERTURA
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

PARMASK MEDICAL
FFP2 NR
EN149:2001+A1:2009

95

10 PIECES

CE 2841

HIGH Quality

MASCHERA PROTETTIVA MELTBLOWN
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

www.parmaskmedical.com

Zarrn einmaltigen Gebrauch / single use only / massima protezione

HALUTTES BEWAHRUNG
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

FLORACIUNE ALI ALI APERTURA
HELTBLOWN PROTECTIVE MASK
SCHMELZGEFÄHIGES SCHUTZMASKE
MASCARILLA PROTECTORA MELTBLOWN
MASQUE PROTECTIVE MELTBLOWN

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI

CONSERVARE IN UNO DEI CONTENITORI
PROTECTORI ORIGINALI O IN UNO DEI CONTENITORI
EQUIVALENTI



**Place platzieren**

Open the mask with and place in on your chin and over your nose with the inside facing your face and the metal strip facing upwards.

Maske platzieren

Öffnen Sie die Maske und legen Sie sie mit der Innenseite zum Gesicht gewandt und dem Metallbügel nach oben auf Ihr Kinn un über Ihre Nase.

Come indossare la mascherina

Apriro la mascherina e posizionarla sul mento e sul naso con il lato interno rivolto verso il viso e la striscia metallica rivolta verso l'alto.

**Putting on the ear loops**

Pull the ear over the right and left ear

Anlegen der Ohrschlaufen

Ziehen Sie die Ohrschlaufen rechts und links über die Ohren.

Posizionare gli elastici dietro le orecchie

Far passare gli elastici intorno all'orecchio destro e sinistro.

**Adjusting the metal clip at your nose**

Gently adjust the metal strip to your nose with both hands

Einstellen des Nasenbügels

Passen Sie den Nasenbügel mit beiden Händen vorsichtig Ihre Nase an.

Adattare la striscia metallica alla forma del naso

Modellare delicatamente la striscia metallica intorno al naso con entrambe le mani.

**Check fit**

Make sure the mask completely covers your nose, mouth and chin and fits snugly.

Sitz prüfen


Vergewissern Sie sich, dass die Maske Ihre Nase, IhrenMund und Ihr Kinn vollständig bedeckt und gut sitzt.

Verificare la vestibilità

Assicurarsi che la mascherina copra completamente naso, bocca e mento.



**PARMASK
MEDICAL**



**MASCHERA VISO PROTETTIVA
PROTECHTIVE MASK
SCHUTZMASKE**

FFP2 NR
EN149:2001+A1:2009

MASK / MASQUE / MASKE / MASKEER
MASCHERE / MASCARA / MASCARAR



1
STÜCK
PIECES
PEZZI

**PROTEZIONE A 5 STRATI
5 Fünfacher Schutz
5 LAYER PROTECTION**

- MIKRON PARTIKÜL / PARTICELLA DI MICRON
- POLVERE / DUST / PULVER
- PIUME E PELLÌ DEGLI ANIMALI / ANIMAL HAIR / TIERHAARE
- POLLINE / POLLEN
- GOCCIOLINE / DROPLETS TRÖPFCHEN-VIRUS

**Do not touch**

do not touch the outside of the mask in the danger zone. If necessary, put on a new mask immediately

Nicht berühren

Berühren Sie nicht die Außenseite der Maske im Gefahrenbereich. Setzen Sie in diesem Fall sofort eine neue Maske auf.

Non toccare

Non toccare la parte esterna della mascherina nella zona pericolosa. Se necessario, indossare immediatamente una nuova mascherina.

**Replacing the mask**

If you feel wetness or moisture inside or outside the mask, please put on a new mask immediately.

Maske austauschen

Sollten Sie Nässe und Feuchtigkeit innerhalb oder außerhalb der Maske spüren, setzen Sie bitte sofort eine neue Maske auf.

Sostituzione della mascherina

Se si nota umidità all'interno o all'esterno della mascherina, si prega di indossare immediatamente una nuova mascherina.

**Maximum wearing time**

The maximum time you can wear your mask once is 8 hours. Please do not exceed the maximum wearing time.

Maximale Tragezeit

Die maximale Zeit, die Sie Ihre Maske einmal tragen können, beträgt 8 Stunden. Bitte überschreiten Sie die maximale Tragezeit nicht.

Tempo massimo di utilizzo

Il tempo massimo di utilizzo di ogni mascherina è di 8 ore. Si prega di non superare il tempo massimo di utilizzo.

**Removal**

Remove the mask by pulling down on the ear loops. Avoid touching the outside of the mask.

Abnehmen

Nehmen Sie die Maske ab, indem Sie die Ohrschlaufen nach unten ziehen. Vermeiden Sie die Berührung der Außenseite der Maske.

Rimozione

Rimuovere la mascherina dagli elastici per le orecchie. Evitare di toccare la parte esterna della mascherina.

Parteks Dokuma Giyim San. ve Tic. Ltd. Şti.

Yunus Emre Mah.
Sabır Cad. No: 6/2 Sancaktepe / İSTANBUL
Tel: 0216 641 40 70
info@parteksgiyim.com



06.2021



**Durability
2 Years**



HIGH EFFICIENCY
FILTRATION



COMFORTABLE
LAMINATING



HEALTHY
BREATHING



5-LAYER OF
PROTECTION



2 YEARS



NR



80%



1



-20°C
+40°C



Model No
PS1001
FFP2 NR

AB Tip İnceleme Sertifikası EU Type-Examination Certificate

Belge No / Certificate No	: 180-21-01-R03
Belgelendirme Tarihi - Bir Sonraki Belge Tarihi / Certification Date / Certificate Validity Date	: 23.03.2021-10.03.2026
Belge Geçerlilik Tarihi / Document Validity Period	: 5 yıl / 5 years
Firma Unvanı ve Adresi / Company Name and Address	: PARTEKS DOKUMA GİYİM SAN. VE TİC. LTD. ŞTİ. Yunus Emre Mah. Sabır Cad. No:6/2 Sancaktepe/ İSTANBUL
Ürün Adı /Modeller / Product Name / Models	: PARMASK PS1001
Direktifi / Directive	: 2016/425 REGULATION
Modülü/Kategori / Module / Category	: B MODÜLÜ/ KATEGORİ III MODULE B / CATEGORY III
Test Rapor No/ları / Test Report No	: MNA M-2021-00340, M-2021-00341
Ürün Tipi / Product Type:	
- EN 149+ A1 Solunumla ilgili koruyucu cihazlar - Parçacıklara karşı koruma amaçlı filtrelili yarım maskeler/ Respiratory protective devices - Filtering half masks to protect against particles	

Ürünün Malzeme Bilgisi / Product Material Information: PARMASK PS1001 model ürünleri kumaş, elastik kayış, burun klipsi ve filtre katmanı kullanılarak imal edilmiştir./ PARMASK PS1001 model products are manufactured using fabric, elastic strap, nose clip, filter layer.

Revizyon nedeni/ Reason for revision: Farklı renkte ürün eklenmiştir./ The different color product has been added.

Volkan AKIN
23.03.2021
Karar Verici / Approver

Okan AKEL
23.03.2021
Şirket Müdürü / General manager









ATTACHMENTS (180-21-01-R03)

To certify the PPE product at Category III level, C2 or D module is accompanied by applying one of the conformity assessment methods along with the EU Type Examination (Module B).

Model : PARMASK PS1001

PPE SPECIFICATION	PERFORMANCE LEVELS
Classification	FFP2
Reusable / Single Shift Use	NR

PPE produced as a single unit to fit an individual user, all the necessary instructions for manufacturing such PPE on the basis of the approved basic model:

MARKING	
MANUFACTURER: PARTEKS DOKUMA GİYİM SAN. VE TİC. LTD. ŞTİ.	
PPE TYPE :	
- EN 149+ A1 Respiratory protective devices - Filtering half masks to protect against particles	
MODEL: PARMASK PS1001	
PICTOGRAM AND PERFORMANCE LEVELS:	
EN 149+ A1 FFP2 NR	
 NB 2841	
 Year Month	 yyyy/mm
 -xx°C +yy°C	 < xx%
Or Condition of Storage	

MNA LABORATORIES SAN. TIC. LTD. ŞTİ declares that the above-mentioned product meets the requirements of the directive according to the EU Directive 2016/425, the safety of the product is covered by the conditions and use specified in this certificate and in the technical file.

Report No : 180-21-01-R03

Report Date : 23.03.2021

Application No : 180-21-01

1. COMPANY INFORMATION:

PARTEKS DOKUMA GİYİM SAN. VE TİC. LTD. ŞTİ.
Yunus Emre Mah. Sabır Cad. No:6/2 Sancaktepe/ İSTANBUL
Tel: 0 216 641 40 70
Mail: info@parteksgiyim.com


2. PPE INFORMATION:

Disposable and non-sterile half mask made of particulate protection filter material.

3. PPE TYPE IDENTIFICATION

EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles - Requirements, testing, marking

4. PPE PICTURES



PARMASK PS1001

5. PPE DIMENSIONS:

PARMASK PS1001 model has been found to be produced using standart sizes.

6. PPE PRODUCT MATERIAL INFORMATION:

The product is made of elastic strap, nonwoven fabric on the outer and inner layers and filter material on the middle layer.

7. ESSENTIAL HEALTH AND SAFETY REQUIREMENTS

- A visual inspection was made according to EN 149:2001 +A1:2009 for ergonomics.
- Protection levels and degrees are defined by the manufacturer.
- Suitable construction materials were determined by visual inspection according to EN 149:2001 +A1:2009.

8. ANALYSIS AND EVALUATIONS:

EN 149:2001 +A1:2009

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Banned Azo Dyes	< 30 mg/kg				< 5 mg/kg	-	PASS
Part 7.3 Visual inspection	Shall also the marking and the information supplied by the manufacturer				Appropriate	-	PASS
Part 7.4 Packaging	Particle filtering half mask shall be offered for sale packaged in such a way that they are protected against mechanical damage and contamination before use.				Appropriate	-	PASS
Part 7.5 Material	When conditioned in accordance 8.3.1 & 8.3.2 the particle filter half mask shall not collapse.				Appropriate	-	PASS
Part 7.6 Cleaning and disinfecting	After cleaning and disinfecting the re-usable particle filtering half mask shall satisfy the penetration requirement of the relevant class.				Not applicable	-	Not applicable
Part 7.7 Practical performance	No negative comments should be made by the test subject regarding any of the criteria evaluated.				Appropriate	-	PASS
Part 7.8 Finish of parts	Parts of the device likely to come into contact with the wearer shall have no sharp edge or burrs.				Appropriate	-	PASS
TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.9.1 Total inward leakage	At least 46 out of the 50 individual exercise result	<25	<11	<5	See the table below	FFP2	PASS
	At least 8 out of the 10 individual wearer arithmetic means	<22	<8	<2	See the table below	FFP2	PASS

Total Inward Leakage (%)

	Exercise 1	Exercise 2	Exercise 3	Exercise 4	Exercise 5	Average
Subject 1 (As recieved)	8.4	7.4	6.6	8.6	6.9	7.6
Subject 2 (As recieved)	8.1	5.7	6.2	6.9	6.8	6.7
Subject 3 (As recieved)	7.8	9.3	6.3	8.6	9.0	8.2
Subject 4 (As recieved)	7.7	8.4	8.2	8.7	9.2	8.4
Subject 5 (As recieved)	7.5	8.7	8.1	5.8	7.6	7.5
Subject 6 (After temperature conditioning)	7.8	8.1	6.3	6.9	9.1	7.6
Subject 7 (After temperature conditioning)	7.8	8.0	7.7	6.7	7.6	7.6
Subject 8 (After temperature conditioning)	7.9	9.4	7.5	7.6	7.8	8.0
Subject 9 (After temperature conditioning)	6.5	9.0	9.0	8.6	9.2	8.5
Subject 10 (After temperature conditioning)	4.9	4.9	4.9	5.9	4.9	5.1

Subject facial dimensions

Subject	Face Length (mm)	Face Width (mm)	Face Depth (mm)	Mouth Width (mm)
1	133	132	132	65
2	125	144	116	67
3	126	135	124	75
4	123	133	134	74
5	117	135	122	73
6	122	142	133	66
7	113	132	114	75
8	135	123	123	65
9	122	135	133	74
10	135	142	125	83

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.9.2 Penetration of filter material	Sodium chloride, 95 L/min % , max	% 20	% 6	% 1	See the table below	FFP2	PASS
	Paraffin oil, 95 L/min % , max	% 20	% 6	% 1	See the table below	FFP2	PASS

Penetration of filter material	Sodium Chloride (%)	Paraffin Oil (%)
As recieved	4.0	4.3
As recieved	4.4	4.5
As recieved	4.2	4.4
After the simulated wearing treatment	4.6	4.8
After the simulated wearing treatment	4.5	4.6
After the simulated wearing treatment	4.2	4.5
Mechanical strength and temperature conditioning	5.4	5.0
Mechanical strength and temperature conditioning	5.2	5.3
Mechanical strength and temperature conditioning	5.3	5.5

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.10 Compatibility with skin	Materials shall not be known to be likely to cause irritation or any other adverse effect to health				Appropriate	-	PASS
Part 7.11 Flammibility	Mask shall not burn or not to continue to burn for more than 5 s				Flame not seen	-	PASS
Part 7.12 Carbondioxide content of the inhalation air	Shall not exceed an average of % 1				0,84 0,79 0,83	-	PASS
Part 7.13 Head harness	It can be donned and removed easily				Appropriate	-	PASS
Part 7.14 Field of vision	The field of vision shall acceptable in practical performance test.				Appropriate	-	PASS
Part 7.15 Exhalation valve(s)	It shall withstand axially a tensile force of 10 N apply for 10 s. If fitted, shall continue to operate correctly after a continuous exhalation flow of 300 L/min over a period of 30 s.				Not applicable	-	Not applicable

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.16 Breathing Resistance	Inhalation 30L/min	0,6 mbar	0,7 mbar	1,0 mbar	See the table below	FFP2	PASS
	Inhalation 95L/min	2,1 mbar	2,4 mbar	3,0 mbar	See the table below	FFP2	PASS
	Exhalation 160L/min	3,0 mbar	3,0 mbar	3,0 mbar	See the table below	FFP2	PASS

Breathing Resistance (mbar)	Inhalation 30L/min	Inhalation 95L/min
As recieved	0,6	2,0
As recieved	0,5	2,1
As recieved	0,5	2,0
After temperature conditioning	0,5	2,0
After temperature conditioning	0,6	2,0
After temperature conditioning	0,5	2,1
After the simulated wearing treatment	0,5	2,0
After the simulated wearing treatment	0,6	2,0
After the simulated wearing treatment	0,6	2,1

Breathing Resistance 160L/min (mbar)	Facing directly ahead	Facing vertically upwards	Facing vertically downwards	Lying on the left side	Lying on the right side
As recieved	2,6	2,6	2,6	2,5	2,6
As recieved	2,5	2,6	2,6	2,5	2,6
As recieved	2,5	2,6	2,6	2,5	2,6

After temperature conditioning	2,5	2,6	2,6	2,6	2,6
After temperature conditioning	2,6	2,6	2,6	2,6	2,6
After temperature conditioning	2,6	2,6	2,6	2,6	2,6
After the simulated wearing treatment	2,6	2,6	2,5	2,6	2,6
After the simulated wearing treatment	2,6	2,6	2,5	2,6	2,6
After the simulated wearing treatment	2,6	2,6	2,6	2,6	2,6

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.17 Clogging	After clogging the inhalation resistances shall not exceed. (valved)	4 mbar	5 mbar	7 mbar	Not applicable	-	Not applicable
	The exhalation resistance shall not exceed 3 mbar at 160 L/ min continuous flow. (valved)				Not applicable	-	Not applicable
	After clogging the inhalation and exhalation resistances shall not exceed. (valveless)	3 mbar	4 mbar	5 mbar	Not applicable	-	Not applicable
Part 7.18 Demountable part	All demountable parts (if fitted) shall be readily connected and secured were possible by hand.				Not applicable	-	Not applicable

9. DECISION PROPOSAL

Analysis and examinations PARMASK PS1001 model coded personal protective equipment; Respiratory Protective Devices EN 149:2001 +A1:2009- Filtered Half Masks for Protection Against Particles - Properties, Experiments and Marking standards are evaluated. It is recommended to be certified at the performance levels specified as a result of technical evaluations.

10. ATTACHMENTS

- Basic Health Safety Requirements
- Risk Assessment
- Test Reports
- User Instruction

Reason for revision : The different color product has been added.

CONTROLLER : VOLKAN AKIN

SING :

DATE : 23.03.2021





PARTEKS
DOKUMA - GİYİM

EU DECLARATION OF CONFORMITY

İMALATÇI/MANUFACTURER

PARTEKS DOKUMA GİYİM SAN ve TİC. LTD. ŞTİ.

Yunus Emre Mah. Sabır Cad. No:6/2
Sancaktepe/İSTANBUL/TÜRKİYE

İLGİLİ DİREKTİF/Related Directive

2016/425/AT Kişisel Koruyucu Donanım Yönetmeliği

2016/425/EU Personal Protective Equipment (PPE)

We hereby certify certificate that this PPE is identical to the model subject to EU test certificate issued by Notified Body MNA Laboratuvarları San. Tic.Ltd. Sti Atasehir/Istanbul TURKEY - Notify Body Number:2841 EU Type Examination Certificate No. 180-21-01-R03

ÜRÜN ADI/Product Name

**Koruyucu Maske Protective Mask
(FFP2 NR)**

Model No/Models Number

PARMASK PS1001

MARKA/Trade Mark

PARMASK

İLGİLİ STANDARTLAR/Standarts Applied

EN 149:2001 + A1:2009, EN ISO 9001

Ürünlerimizin uyumlaştırılmış standartlara göre üretildiğini ve 2016/425/AT Kişisel Koruyucu Donanım Yönetmeliği hükümlerine uygun olduğunu beyan ederiz.

Destekleyici tüm belgeler firmamızda bulunmaktadır.

We declare that our products are manufactured according to harmonized standards and comply with the provisions of the 2016/425/EU Personal Protective Equipment Directive. All supporting documents are available in our company.

We declare that we have taken all necessary measures to ensure the conformity of products placed on the market with technical documentation and basic requirements for this type of product. The PPE is subject to the conformity assessment procedure "Conformity to type" based on internal production control plus supervised product checks at random intervals (PPE Regulation 2016/425 – Module C2) under surveillance of the Notified Body.

Name, date and place of issue:

Abdullah ALAN - 12.03.2021, İstanbul-TÜRKİYE

Sign- Stamp:

PARTEKS DOKUMA GİYİM
SANAYİ VE TİCARET LİMİTED SİRKETİ
Yunus Emre Mah. Sabır Cad. No:6/2
Sancaktepe/İSTANBUL/TÜRKİYE
SULTANBEYLÜ V.D. 722 013 84

PARTEKS DOKUMA GİYİM SAN. VE TİC. LTD. ŞTİ.
Yunus Emre Mah. Sabır Cad. No:6/2 Sancaktepe/İSTANBUL
0216 641 40 70
info@parteksgiyim.com